Mise à jour du microcode de nos appareils photos



Jacques Masson Club photo Pierrefonds 21 mars 2019

Pourquoi faire des mises à jour

- Modifier ou ajouter des fonctionnalités
- Corriger des bogues
 - Corriger des problèmes d'autofocus, de sous-exposition
 - Corriger des erreurs de balance des blancs
 - Mieux gérer le flash externe
 - Ajouter de nouvelles langues dans les menus
 - Etc.

Précautions à prendre

- Attendre quelques semaines après la sortie du microcode avant de l'installer
- La batterie de votre appareil photo doit être complètement chargée
- Les fabricants proposent d'enlever flash, objectifs et autres accessoires. À faire.
- N'éteignez surtout pas votre appareil photo pendant l'opération de mise à jour.
- Évitez de manipuler votre appareil photo, d'appuyer sur des boutons, ou pire, d'ouvrir la trappe de la carte mémoire...

Liens de téléchargement

Nikon

https://downloadcenter.nikonimglib.com/fr/index.html

Canon (USA)

https://www.usa.canon.com/internet/portal/us/home/support?tab=drivers

Sony

https://www.sony.ca/en/electronics/support/cameras-camcorders-digitalcameras

Fuji http://www.fujifilm.com/support/digital_cameras/software/

Télecharger - Nikon

https://downloadcenter.nikonimglib.com/fr/index.html

Q Rechercher par nom de produit					L			
Rechercher		M	anuels	> E	• Firm	wares	Logiciels	>
Q Rechercher par catégorie de produit								
Étape 1 Cholsir une catégorie (Apparells photo reflex numériques) Étape 2 Cholsir une sous-catégorie ou une gamme Étape 3 Cholsir un produit	Té ph I'ii pc	éléchargez les fin hoto et autres pe nstallation, cliqu pur certaines mis	rmwares des produits ériphériques). Pour al lez sur "Afficher la pa ses à jour de firmwar	s numériques fficher le des ge de télécha re. Les instru	Nikon (un firmw criptif, les avertis argement".Notez ctions figurent su	are étant le microprog sements, ainsi que les qu'un lecteur de carte r la page de télécharg	ramme intégré qui contrôle l s instructions sur le télécharg es ou un autre dispositif peut ement.	es appareils ement et être nécessaire
> D1H > D1X > D200 > D2H			Titre		Version	Date de sortie		
 > D2Hs > D2X > D2Xs > D3 > D300 > D3000 		Firmware du D	750		C:Ver.1.15	2019/02/21	Afficher la page de télécha	rgement
 > D3005 > D3100 > D3200 > D3300 > D3400 > D3500 		Données de co	ntrôle de la distors	ion	Ver.2.017	2018/03/01	Afficher la page de télécha	rgement
> D35 >> D3X								
> D4 > D40 > D40X > D45 > D5 > D50			Accord de licence	e de l'utilis	ateur final			
> D500 > D5000 > D5100 > D5200 > D5300 > D5500 > D5600 > D60 > D600 > D610 > D70 > D700 > D7000 > D70s > D7100 > D7200			Le présent Accord de lic Nikon Corporation (« Ni inclut le logiciel informa dessus (« LOGICIEL »)	ence (« Accord i kon ») énonçan tique (y compris).	 ») est un contrat jurid t les conditions généra , mais sans s'y limiter, 	lique entre vous (personne p les d'utilisation du logiciel Ni le firmware et le programme	hysique ou entité unique) et kon rattaché aux présentes qui e informatique) du produit ci-	
 > D750 > D80 > D800E > D810A > D810 > D810A > D850 > D90 > Df 					C Acc	repter narger		
					F-D750-V (Environ	115M.dmg		





Firmware version

1. 152. 017

►

•

Update the lens data

stored in the camera?

New

→ 2.017

Current

2.016

Yes No

Update

Télecharger – Canon (USA)

https://www.usa.canon.com/internet/portal/us/home/support?tab=drivers

File Name

EE IMPOSSIBLE	EXPLORE	PRODUCTS LEARN SU	PORT ABOUT SHOP	CHOOSE A SEARCH AREA
EOS & R	ebel D	igital Cameras		
		0		
Cameras				
EOS-1D		EOS 10D	EOS D30	EOS Rebel Tli
EOS-1D Mark II		EOS 20D	EOS D60	EOS Rebel T2i
EOS-1D Mark II N		EOS 20Da	EOS M EF-M 22mm STM Kit	EOS Rebel T3
EOS-1D Mark III		EOS 30D	EOS M3 EF-M 18-55mm IS STM	Kit EOS Rebel T3i Body
EOS-1D Mark IV		EOS 40D	EOS M5 EF-M 18-150mm IS STN	A EOS Rebel T4i
EOS-1D X		EOS 50D	EOS M6 EF-M 15-45mm IS STM	Kit EOS Rebel T5 18-55 IS II Kit
EOS-1D X Mark II		EOS 60D	EOS M6 Video Creator Kit	EOS Rebel T5i 18-55mm IS STM Len
EOS-1Ds		EOS 60Da	EOS M10 EF-M 15-45mm IS STN	/ Kit Kit
EOS-1Ds Mark II		EOS 70D	EOS M50 Body	EOS Rebel T5i Video Creator Kit
EOS-1Ds Mark III		EOS 77D	EOS M50 EF-M 15-45mm IS ST	VI Kit EOS Rebel T6 EF-S 18-55mm IS II Kit
EOS 5D		EOS 80D	EOS M100 EF-M 15-45mm IS ST	M Kit EOS Rebel T6i
EOS 5D Mark II		EOS 80D Video Creat	r Kit EOS Digital Rebel	EOS Rebel T6i EF-S 18-55mm IS STN Lens Kit
EOS 5D Mark III			EOS R	FOS Rebel T6s FF-S 18-135mm IS
EOS 5D Mark IV			EOS RP	STM Lens Kit
EOS 5DS			EOS Rebel SL118-55mm IS STM	Lens EOS Rebel T7 EF-S 18-55mm IS II Kit
EOS 5DS R			Kit	EOS Rebel T7i
EOS 6D			EOS Rebel SL2 EF-S 18-55mm I STM	5 EOS Rebel T7i EF-S 18-55mm IS STM
EOS 6D Mark II				Lens Kit
EOS 7D				EUS Rebel T7i EF-S 18-135mm IS STM Kit
EOS 7D Mark II				EOS Rebel T7i Video Creator Kit
				EOS Rebel X/XS
				EOS Rebel XS
				EOS Rebel XSi
				EOS Digital Rebel XT
				EOS Digital Rebel XTi

EOS 6D Drivers & Downloads Manuals FAQs Product Advisories Warranty Specifications What's in the Box Supplies & Accessories Wireless Help Software Development Kit (SDK) Drivers & Downloads macOS Mojave v10.14 (Detec 🕶 Operating System Language English • Software Firmware Utilities Date 🚽 File Size File Narr EOS 6D Firmware Update, Version 1.1.8 [Mac OS X] 11/29/17 21.96 MB SELECT EOS 6D Firmware Update, Version 1.1.8 [Windows] 11/29/17 21.88 MB SELECT Firmwar Date 🚽 File Size ÷. EOS 6D Firmware Update, Version 1.1.8 [Mac OS X] 11/29/17 21.96 MB CLOSE File name Supporting Documents DOWNLOAD eos6d-v118-mac.dmg - Driver/Software Details I have read and agree to the terms of the Disclaimer and wish to continue with the download.



Télecharger – Sony

https://www.sony.ca/en/electronics/support/cameras-camcorders-digital-

cameras

SONY	Electronics 👻	PlayStation	Entertainment 👻	Support ~
	igital cameras angeal	ble-ler	ns Came	ras
Interchangeable	He▼ Mc	del name	or keywords	
Where is the second	he model na	me located	on my product	

Select your product type



Downloads	
Select Operating System •	Release Date
🐔 ILCE-7RM3 System Software (Firmware) Update Ver. 2.10 (Windows)	12/17/2018
🦣 ILCE-7RM3 System Software (Firmware) Update Ver. 2.10 (Mac)	12/17/2018
PlayMemories Home	02/14/2019
Imaging Edge (Remote/Viewer/Edit)	01/30/2019
Rev PlayMemories Mobile	10/15/2018

ILCE-7RM3 System Software (Firmware) Update Ver. 2.10 (Mac)

Resolves a problem caused by a specific third-party memory cards, where the cards cannot be recognized by Sony cameras

Télecharger – Fuji

http://www.fujifilm.com/support/digital_cameras/software/

Download Software & Firmware

GEN System	
Camera	Lens
Interchangeable Lens Camera	Single Focal Length Lens / Zoom Lens
X System	
Camera	Lens
Interchangeable Lens Camera	Single Focal Length Lens
X Compact Camera	Zoom Lens
▶ X Compact Camera	 Zoom Lens Cine Lens
• X Compact Camera FinePix Series	+ Zoom Lens + Cine Lens
• X Compact Camera FinePix Series Compact Camera	⊶Zoom Lens → Cine Lens High Zoom Camera
• X Compact Camera FinePix Series Compact Camera • A / AV / AX Series	Com Lens Cine Lens High Zoom Camera Hish / S / SL / S Pro Series
X Compact Camera FinePix Series Compact Camera A/AV/AX Series F Series V/AV/IZ Series	• Zoom Lens • Cine Lens High Zoom Camera • HS / S / SL / S Pro Series
	• Zoom Lens • Cine Lens High Zoom Camera HS / S / SL / S Pro Series
	High Zoom Camera Hish / S / SL / S Pro Series
 X Compact Camera FinePix Series Compact Camera A / AV / AX Series F Series J / VJ JX / JZ Series 2 Series Other Series Tough Camera 	• Zoom Lens • Cine Lens High Zoom Camera HIS / S / SL / S Pro Series

Viewer Software
 Application Software

RAW FILE CONVERTER
 LUT for F-Log

FUJ:FILM Global

Home Innovation Products Support News Sustainability About Us

Digital Camera Firmware : Interchangeable Camera Body / Lens

Interchangeable Lens Camera Body / Interchangeable Lens Firmware Compatibility Table

In this Support website, firmware update is provided for improvement of operability and performance of interchangeable lens camera body and compatibility with interchangeable lenses. Please use your cameras and lenses with the latest version of firmware.

* The combination of interchangeable lens camera body and interchangeable lens with the latest version will provide compatibility. If either of firmware is not the latest version, compatibility will not be provided.
* Please refer to the "Firmware version checking procedure" below to check the firmware version.

List of Firmware for Interchangeable Lens Camera Body

Model Name	Latest Version	Description	Link	Updated Date
X-A1	Ver.1.50	 Addition of compatibility with "XF80mmF2.8 R LM OIS WR Macro" 	 Firmware Download 	Nov 21 2017
X-A2	Ver.1.30	 Addition of compatibility with "XF80mmF2.8 R LM OIS WR Macro" 	 Firmware Download 	Nov 21 2017
X-A3	Ver.2.21	Change of initial ISO setting Fix of INTERVAL TIMER SHOOTING	 Firmware Download 	Jun 28 2018
X-A5	Ver.2.00	 NEW "Bright Mode" added 5 step adjustment available for "Portrait Enhancer" Mode NEW "Night+" added 	 Firmware Download 	New Feb 14 2019
X-A10	Ver.2.20	 Addition of compatibility with "XC15- 45mmF3.5-5.6 OIS PZ lens" Support for "Instax SHARE SP-3" 	 Firmware Download 	Feb 28 2018
X-A20	Ver.1.11	 Change of initial ISO setting Fix of INTERVAL TIMER SHOOTING 	 Firmware Download 	Jun 28 2018

X-T3 Camera Body Firmware Update Ver.2.10

Please read the followings and update the firmware.

Notes

Please read this update after refreshing this page.
 In case of Wardows (Internet Explorer / FireFox / Google Chrome), hold down the "Control" key and "F5" key.
 In case of Mac (Stafar / Google Chrome), hold down the "Contmand" key and "F4" key.
 In case of Mac (CireFox), hold down the "Command", "Shift" and "F4" keys at same time.
 The firmware upgrade is not required if its version is 2.10.
 Pleate to "2) Firmware version checking procedure on the "Detail of firmware update steps" below to check the firmware version.
 Detail of firmware and lens with the latest version you may not enjoy their full performance.)
 Camera Body / Lens Firmware Compatibility Table

The firmware of a camera paired with a smartphone can be updated via the smartphone and a tablet.
 The method of firmware update via a smartphone C*

- Settings you have changed can be saved by FUJIFILM X Acquire and so on We would recommend you save the settings if you have changed them from default ones. For detail, visit the FAQ website. • FAQ =• FAQ =•

